



Wes Richter

From: Randy Holtz <rholtz@jrequip.net>
Sent: Monday, May 18, 2020 4:36 PM
To: Wes Richter
Subject: In-Stock Rear Loader - Freightliner on Leach 2RIII
Attachments: Picture of Stock Unit.jpg; Stock chassis for Coweta 2020.pdf

[EXTERNAL EMAIL] DO NOT CLICK links or attachments unless you recognize the sender and know the content is safe.

Wes,

This unit has a Detroit not a Cummins, but has a very short delivery time.

Wes , this unit is available in 30-45 days after po received. It is subject to prior sale.

\$215,723.00

25 yd Leach 2RIII Rear Loader

2- tippers

Reever Cylinder and kickbar

Dual camera system

Work lights and strobe lights

Painted white mounted on Freightliner chassis. Chassis specs attached.

Please let me know if I can do anything further.

Thank You,

Randy Holtz
J & R Equipment
918-640-7474



*** SPECIFICATION CONFIRMATION ***

DATE: 08/26/19

CUSTOMER: STOCK COLUMBUS NE AUOD
 2357 E 29TH AVE
 COLUMBUS NE 68601

SERIAL NUMBER.....MA1217
 TSO NUMBER.....1010
 CONCESSION NUMBER.....
 MODEL NUMBER.....M2106
 SALES OUTLET.....AUOD
 BUILD LOCATION..SANTIAGO TIANGU
 PO NO.....
 ORDER RECEIVED.....06/12/19
 REQUESTED DELIVERY....09/15/19
 CUSTOMER ACC.....X78303

SALES ATTN: JR MCFARLAND
 TRUCK CENTER COMPANIES
 OUTLET: P.O. BOX 1005
 COLUMBUS NE 68602

DB

PRICE LEVEL INFORMATION

1 PRL-20M M2 PRL-20M (EFF:4/30/19)..... N/C

GENERAL APPLICATION INFORMATION

2	AA1-002	TRUCK CONFIGURATION.....		
3	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES).....		
4	A85-001	REFUSE SERVICE.....		
5	AA3-062	REFUSE, SIDE LOAD OR REAR PACKER BODY - DOES NOT UNLOAD IN A LANDFILL.....		
6	AA2-998	NO TRAILER SPECIFIED.....		
7	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS.....		
8	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA D SURFACE.....		
9	AB1-008	MAXIMUM 8% EXPECTED GRADE.....		
10	AA4-013	MOIST BULK COMMODITY.....		
11	A84-1SA	SANITATION BUSINESS SEGMENT.....		
12	A66-99D	EXPECTED FRONT AXLE(S) LOAD.....	16000	LBS
13	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD.....	46000	LBS
14	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY..	62000	LBS
15	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	156.89	IN
16	AL8-99D	CALC'D CAB TO BODY (INCL 2" CLEARANCE)..	3	IN
17	A88-99D	EXPECTED TRUCK BODY LENGTH.....	0 FT	0 IN
18	AL4-99D	CALC'D FRAME LENGTH BACK OF CAB.....	276.97	IN
19	AL6-99D	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-273.97	IN
20	AM1-99D	CALC'D OVERALL LENGTH AT BODY OR EOF....	383.27	IN
21	AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM.	86.29	MPH

*** SPECIFICATION CONFIRMATION ***

DATE: 08/26/19

CUSTOMER: STOCK COLUMBUS NE AUOD

SERIAL NUMBER.....MA1217

DB

22	AF7-99D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME.	32	IN
23	AK2-99D	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
24	AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	41.2	IN
25	AR1-99D	CAL'D FRAME HT AT FRONT SUSP-UNLADEN....	40.8	IN
26	AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN.	43.61	IN
27	AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD.....	1.71	IN
28	ALG-99D	CALC'D CAB HEIGHT ABOVE FRAME.....	67.43	IN
29	ALJ-99D	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	106.21	IN
30	ALH-99D	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN.	108.99	IN
31	AF3-2G3	SANITATION PRODUCTS.....		

*** SPECIFICATION CONFIRMATION ***

DATE: 08/26/19

CUSTOMER: STOCK COLUMBUS NE AUOD

SERIAL NUMBER.....MA1217

DB

32	A61-99D	CALC'D MAX CAPACITY FRONT AXLE(S) TOTAL..	16000	LBS
33	A59-99D	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL.	46000	LBS
34	A60-99D	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL.	0	LBS
35	A62-99D	RATED MAXIMUM VEHICLE CAPACITY - GVWR...	62000	LBS

BASE MODEL

36	001-172	M2 106 CONVENTIONAL CHASSIS.....	5709	3503	\$103,510.00
37	004-220	2020 MODEL YEAR SPECIFIED.....			N/C
38	995-091	MEDIUM TRUCK WARRANTY.....			STD
39	002-004	SET BACK AXLE - TRUCK.....			STD
40	019-002	STRAIGHT TRUCK PROVISION.....			STD
41	003-001	LH PRIMARY STEERING LOCATION.....			STD

ENGINE

42	101-2NA	DD8 7.7L 6 CYL DUAL STAGE 330 HP @ 2200 RPM, 2600 GOV RPM, 1000 LB/FT @ 1200 RPM	450	30	13,576.00
43	99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION.....			N/C
44	99Z-004	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, DOES NOT HAVE REGULATORY VEHICLE SPEED LIMITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES).....			N/C
45	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR).....			109.00
46	9EE-004	J1939 ELECTRICAL ARCHITECTURE.....			N/C
47	992-001	50 STATE EMISSIONS CERTIFICATION.....			N/C
48	28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH.....			N/C
49	79A-072	72 MPH ROAD SPEED LIMIT.....			N/C
50	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT.....			N/C
51	79C-998	NO DRIVER FUEL ECONOMY INCENTIVE.....			N/C
52	79D-998	NO PROGRESSIVE SHIFTING.....			N/C
53	79E-998	NO LOW RANGE TORQUE PROTECT.....			N/C
54	79F-998	NO FLEET MANAGEMENT.....			N/C
55	79G-998	NO IDLE SHUTDOWN CONFIGURATION.....			N/C
56	79J-998	NO PTO SHUTDOWN CONFIGURATION.....			N/C
57	79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM....			N/C
58	79L-998	PTO MODE THROTTLE OVERRIDE DISABLED.....			N/C

59	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED.....	N/C
60	79N-998	NO PTO MODE CLUTCH OVERRIDE.....	N/C
61	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM	N/C
62	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM.....	N/C
63	79R-998	NO PTO MODE COOLING FAN.....	N/C
64	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH...	N/C
65	79T-998	NO PTO MODE RPM INCREMENT.....	N/C
66	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC OND.....	N/C
67	79V-998	NO PTO MODE DPF REGEN.....	N/C
68	79W-001	ONE REMOTE PTO SPEED.....	N/C
69	79X-003	PTO SPEED 1 SETTING - 800 RPM.....	N/C
70	79Y-998	NO PTO 2 SET SPEED.....	N/C
71	79Z-998	NO PTO 3 SET SPEED.....	N/C
72	80A-998	NO ALTERNATE ROAD SPEED LIMIT.....	N/C
73	87Z-998	NO PTO MODE ENG RPM LIMIT, REMOTE.....	N/C
74	80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED.....	N/C
75	80C-998	NO ENGINE BRAKE WITH CRUISE CONTROL.....	N/C
76	80D-998	NO SOFT CRUISE CONTROL.....	N/C
77	80E-998	NO ENGINE FAN WITH RETARDER.....	N/C
78	80F-998	NO MAINTENANCE MONITOR.....	N/C
79	80G-002	PTO MINIMUM RPM - 700.....	N/C
80	80S-998	NO PTO 1 CONTROLS.....	N/C
81	80T-998	NO PTO 2 CONTROLS.....	N/C
82	80U-998	NO PTO 3 CONTROLS.....	N/C
83	80V-998	NO ENGINE MOUNT PTO CONTROLS.....	N/C
84	85K-998	NO PTO 1 J1939 CONTROL.....	N/C
85	85L-998	NO PTO 2 J1939 CONTROL.....	N/C
86	85M-998	NO PTO 3 J1939 CONTROL.....	N/C
87	85N-998	NO ENGINE MOUNT PTO J1939 CONTROL.....	N/C
88	80H-998	NO ACCELERATION MANAGEMENT.....	N/C
89	80J-998	NO REGEN INHIBIT SPEED THRESHOLD.....	N/C
90	80R-998	NO DRIVETRAIN TORQUE PROTECTION.....	N/C
91	80Y-998	NO CRUISE CONT-UPPER/LOWER LIMITS.....	N/C
92	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C
93	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C
94	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C

95	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C
96	84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C
97	84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE.....	N/C
98	84L-998	NO TCU-LOAD BASED OPTIMIZATION.....	N/C
99	84M-998	TCU-PUMP MODE OPTION NOT CONFIGURED.....	N/C
100	84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED.....	N/C
101	85B-998	TCU-RANGE INDICATION NOT CONFIGURED.....	N/C
102	85E-998	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED.....	N/C
103	85F-998	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED.....	N/C
104	85G-998	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED.....	N/C
105	85H-998	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED.....	N/C

ENGINE EQUIPMENT

106	13E-001	STANDARD OIL PAN.....	N/C
107	105-001	ENGINE MOUNTED OIL CHECK AND FILL.....	N/C
108	104-998	NO ENGINE OIL DRAIN/SAMPLE.....	N/C
109	133-004	ONE PIECE VALVE COVER.....	N/C
110	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER.....	STD
111	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE..	STD
112	292-208	(2) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 390RC, THREADED STUD BATTERIES.	57.00
113	290-017	BATTERY BOX FRAME MOUNTED.....	STD
114	281-001	STANDARD BATTERY JUMPERS.....	N/C
115	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB.....	N/C
116	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN.....	N/C
117	289-001	NON-POLISHED BATTERY BOX COVER.....	STD
118	33M-998	NO AUXILIARY POWER DISTRIBUTION MANAGEMENT.....	N/C

*** SPECIFICATION CONFIRMATION ***

DATE: 08/26/19

CUSTOMER: STOCK COLUMBUS NE AUOD

SERIAL NUMBER.....MA1217

DB

119	293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT.....	8		206.00
120	295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER.....	2		92.00
121	180-998	NO CLUTCH.....			N/C
122	183-998	NO CLUTCH BRAKE.....			N/C
123	181-998	NO CLUTCH RELEASE BEARING LUBE.....			N/C
124	182-998	NO CLUTCH RELEASE.....			N/C
125	107-047	WABCO 20.0 CFM SINGLE CYLINDER AIR COMPRESSOR.....			N/C
126	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR.....			N/C
127	131-013	AIR COMPRESSOR DISCHARGE LINE.....			N/C
128	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM.....			STD
129	128-998	NO RETARDER.....			N/C
130	016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE.....	30	25	823.00
131	239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT.....			N/C
132	233-017	STANDARD CURVE BRIGHT UPPER STACK(S).....			123.00
133	237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP.....			N/C
134	23U-002	13 GALLON DIESEL EXHAUST FLUID TANK.....	35	10	105.00
135	43W-001	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING.....			N/C
136	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL.....			17.00
137	23Z-002	NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER.....	15	5	144.00
138	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION.....			N/C
139	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING.....			N/C
140	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP.....			N/C
141	242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD.....			48.00
142	273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH.....			-16.00
143	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED.....			N/C
144	110-076	DETROIT ENGINE MOUNTED FUEL/WATER SEPARATOR WITH WATER-IN-FUEL SENSOR AND HAND PRIMER.....			-225.00
145	118-001	FULL FLOW OIL FILTER.....			N/C

146	120-998	NO COOLANT FILTER.....			N/C
147	266-013	1100 SQUARE INCH ALUMINUM RADIATOR.....	70		556.00
148	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT.....			STD
149	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT.....			N/C
150	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES.....			STD
151	270-016	RADIATOR DRAIN VALVE.....			N/C
152	168-002	LOWER RADIATOR GUARD.....			STD
153	360-998	NO FRONT ENGINE PTO.....			N/C
154	361-998	NO REAR ENGINE PTO.....			N/C
155	138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER.....	4		108.00
156	141-998	NO COOLANT HEATER - GAS/DSL.....			N/C
157	166-007	PHILLIPS-TEMRO 150 WATT/125 VOLT OIL PREHEATER.....	4		111.00
158	140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR.....			21.00
159	134-001	ALUMINUM FLYWHEEL HOUSING.....			STD
160	132-998	NO AIR INTAKE WARMER.....			N/C
161	155-070	DELCO 12V 35MT STARTER WITH INTEGRATED MAGNETIC SWITCH AND SOLENOID.....	10		N/C

TRANSMISSION & EQUIPMENT

162	342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION.....	200	60	6,785.00
163	352-998	NO AUXILIARY TRANSMISSION.....			N/C
164	343-312	ALLISON VOCATIONAL PACKAGE 142 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS.....			N/C
165	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES.....			N/C
166	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY.....			N/C
167	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY.....			N/C
168	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN.....			N/C
169	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED.....			N/C

170	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013.		N/C
171	348-998	NO TRANSMISSION ACCESSORIES.....		N/C
172	347-998	NO CLUTCH HOUSING MATERIAL.....		N/C
173	370-015	WATER TO OIL TRANSMISSION COOLER, IN RAD IATOR END TANK.....		STD
174	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELE CTRONIC OIL LEVEL CHECK.....		N/C
175	368-998	NO EXTERNAL TRANSMISSION OIL FILTER.....	-2	N/C
176	84T-000	DISABLE - NEUTRAL RANGE ASSIST.....		N/C
177	84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITC HES.....		N/C
178	84V-998	TCU-DIRECTION CHNG,NOT CONFIGURED.....		N/C
179	84W-001	AUXILIARY FUNCTION RANGE INHIBIT WITH MU LTIPLEXED SERVICE BRAKES - ALLISON 5TH G EN TRANSMISSIONS.....		N/C
180	85D-001	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK E - ALLISON 5TH GEN TRANSMISSIONS.....		N/C
181	353-027	VEHICLE INTERFACE WIRING CONNECTOR WITH PDM AND NO BLUNT CUTS, AT END OF FRAME..	712.00	
182	34C-002	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB.....	76.00	
183	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PT O.....		N/C
184	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSI ON.....		N/C
185	375-998	NO AUXILIARY OIL COOLER.....		N/C
186	373-998	NO TRANSFER CASE.....		N/C
187	376-998	NO SHIFT CONTROL, TRANSFER CASE.....		N/C
188	371-998	NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF.....		N/C
189	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 CO MPLIANT).....		N/C
190	385-998	NO MAIN DRIVELINE HARDWARE.....		STD
FRONT AXLE, SUSPENSION & EQUIPMENT				
191	400-1A9	DETROIT DA-F-16.0-5 16,000		
FL1	71.0 KPI	190 1,949.00		
		/3.74 DROP SINGLE FRONT AXLE.....		
192	398-998	NO FRONT AXLE RATIO.....		STD
193	389-998	NO FRONT AXLE DRIVESHAFT.....		STD
194	402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES.	10	N/C
195	403-002	NON-ASBESTOS FRONT BRAKE LINING.....		STD
196	419-023	CONMET CAST IRON FRONT BRAKE DRUMS.....		8.00

197	427-001	FRONT BRAKE DUST SHIELDS.....	5		102.00
198	409-006	FRONT OIL SEALS.....			STD
199	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTE R AND SIDE PLUGS - OIL.....			STD
200	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES.....			STD
201	404-1B2	WABCO LONGSTROKE FRONT BRAKE CHAMBERS...			N/C
202	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS.			STD
203	536-012	TRW TAS-85 POWER STEERING.....	40		N/C
204	537-005	STEEL STEERING SHAFT.....			N/C
205	539-003	POWER STEERING PUMP.....			STD
206	534-015	2 QUART SEE THROUGH POWER STEERING RESER VOIR.....			STD
207	533-001	OIL/AIR POWER STEERING COOLER.....	5		347.00
208	40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE.....			14.00
209	620-026	16,000 TAPERLEAF FRONT SUSPENSION.....	200	1,110.00	
210	619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FR ONT SUSPENSION.....			-250.00
211	62G-998	NO FRONT SUSPENSION OPTIONS.....			N/C
212	62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET S HACKLE BRACKET.....	4		84.00
213	629-998	NO FRONT SWAYBAR.....			STD
214	410-001	FRONT SHOCK ABSORBERS.....			STD
REAR AXLE, SUSPENSION & EQUIPMENT					
215	420-111	RT-46-160P 46,000 R-SERIES TANDEM REAR	2990	14,193.00	
		AXLE.....			
216	421-563	5.63 REAR AXLE RATIO.....			N/C
217	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXL E HOUSING.....			STD
218	382-998	NO (
		1) DRIVELINE.....			N/C
219	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES.....	20	20	STD
220	388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES.....			N/C
221	393-998	NO DRIVELINE GUARD.....			N/C
222	452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES.....	40		1,499.00
223	878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CON TROLLED DIFFERENTIAL LOCK FORWARD-REAR A ND REAR-REAR AXLE VALVE.....			N/C
224	87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK S WITCH, INTERAXLE UNLOCK DEFAULT WITH IGN ITION OFF.....			N/C

225	87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH.....		N/C
226	423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES.....		214.00
227	433-002	NON-ASBESTOS REAR BRAKE LINING.....		STD
228	434-003	STANDARD BRAKE CHAMBER LOCATION.....		N/C
229	451-023	CONMET CAST IRON REAR BRAKE DRUMS.....		54.00
230	425-002	REAR BRAKE DUST SHIELDS.....	10	235.00
231	440-006	REAR OIL SEALS.....		STD
232	435-998	NO DRIVELINE PARKING BRAKE.....		STD
233	426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS.....	20	STD
234	428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS...		92.00
235	876-998	NO AIR PP/ELECT AXLE SHIFT,CAB.....		N/C
236	87C-998	NO DRIVE/SHIFT AXLE WIRING/LOGIC.....		N/C
237	898-998	NO AIR PP/ELECT-AXLE SHIFT,CHAS.....		N/C
238	41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE.....		N/C
239	622-1E7	HENDRICKSON HAULMAAX @46,000		
	REAR SUSPE	330 4,540.00		
240	034-998	NO REAR SUSPENSION PACKAGE.....		N/C
241	621-1AP	HENDRICKSON HAULMAAX/ULTIMAAX - 10.50" RIDE HEIGHT.....		N/C
242	431-998	NO REAR AXLE CLAMPS.....		N/C
243	624-009	54 INCH AXLE SPACING.....		N/C
244	628-010	HENDRICKSON HN,HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN.....		N/C
245	888-998	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION.		N/C
246	87D-998	NO REAR AIR SUSPENSION VALVE WIRING/LOGIC.....		N/C
247	910-998	NO REAR CHASSIS SUSPENSION AIR PIPING...		N/C
248	623-006	FORE/AFT AND TRANSVERSE CONTROL RODS....		N/C
249	630-998	NO REAR SUSPENSION STABILIZER.....		N/C
250	439-998	NO REAR SHOCK ABSORBERS.....		N/C
251	035-998	NO DEAD AXLE PACKAGE.....		STD
252	443-998	NO PUSHER OR TAG AXLE.....		STD
253	456-998	NO PUSHER/TAG BRAKES.....		STD
254	457-998	NO BRAKE LINING-PUSHER/TAG(SCO).....		STD
255	448-998	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TAG.....		STD
256	429-998	NO PUSHER/TAG BRAKE DUST SHIELDS.....		STD
257	442-998	NO PUSHER OR TAG OIL SEALS.....		N/C
258	444-998	NO PUSHER OR TAG HUB CAPS.....		N/C
259	445-998	NO PUSHER OR TAG BRAKE CHAMBERS.....		STD

260	458-998	NO PUSHER/TAG SLACK ADJUSTERS.....	STD
261	626-998	NO PUSHER OR TAG SUSPENSION.....	STD
262	874-998	NO PUSHER/TAG AXLE LIFT.....	STD
263	896-998	NO PLUMBING FOR LIFT AXLE.....	STD
264	87F-998	NO LIFT AXLE WIRING/LOGIC.....	STD
BRAKE SYSTEM			
265	018-002	AIR BRAKE PACKAGE.....	STD
266	490-100	WABCO 4S/4M ABS.....	STD
267	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES.....	STD
268	46E-001	STANDARD AIR MANAGEMENT UNIT.....	N/C
269	904-001	FIBER BRAID PARKING BRAKE HOSE.....	STD
270	412-001	STANDARD BRAKE SYSTEM VALVES.....	N/C
271	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM.....	STD
272	413-002	STD U.S. FRONT BRAKE VALVE.....	STD
273	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE.....	STD
274	480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEAT ER.....	2.00
275	483-998	NO AIR SYSTEM OIL FILTER.....	N/C
276	479-015	AIR DRYER FRAME MOUNTED.....	STD
277	460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/O R BELOW FRAME JUST FORWARD OF REAR SUSPE NSION.....	125.00
278	46A-998	NO AUXILIARY AIR TANK.....	STD
279	607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FR ONT REAR SUSPENSION BRACKET BOTH RAILS O UTBOARD.....	63.00
280	477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VA LVES ON ALL OTHER AIR TANKS.....	STD
281	485-998	NO EXTERNAL CHARGING GLADHAND.....	N/C
282	481-998	NO TRAILER AIR HOSE.....	STD
283	476-998	NO AIR HOSE HANGER.....	STD
284	914-998	NO PLUMBING FOR AIR TO END OF FRAME.....	N/C
285	919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM.....	N/C
286	484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE.	STD
287	296-998	NO SPECIAL PRIMARY RECEPTACLE WIRING....	STD
288	297-998	NO TRAILER CABLE RECEPTACLE.....	STD
289	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT.....	STD
290	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT.....	STD
291	87P-001	CAB AUXILIARY POWER CABLE.....	N/C

292	308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING....				N/C
293	331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE.....				N/C
294	30K-998	NO HIGH CURRENT RECEPTACLE/WIRING.....				STD
295	30L-998	NO HIGH CURRENT TRAILER/BODY CABLE.....				N/C
296	310-998	NO TRAILER ELECTRICAL CABLE.....				N/C

FRAME & WHEELBASE

297	545-565	5650MM (222 INCH) WHEELBASE.....				N/C
298	546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11. 11MMX282.6MM/0.437X11.13 INCH) 120KSI...	370	290		1,544.00
299	547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT.....	170	410		1,371.00
300	548-998	NO OUTER FRAME REINFORCEMENT.....				N/C
301	549-998	NO FRONT FRAME EXTENSION.....				N/C
302	552-009	3050MM (120 INCH) REAR FRAME OVERHANG...	-120	510		N/C
303	AB8-99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS		1.49	%	
304	553-001	SQUARE END OF FRAME.....				STD
305	554-998	NO BUMPER/UNDERRIDE GUARD.....				STD
306	550-001	FRONT CLOSING CROSSMEMBER.....				STD
307	559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C ROSSMEMBER.....	-12			56.00
308	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION.....				N/C
309	562-001	STANDARD MIDSHIP				
1	CROSSMEMBER (S).....	STD				
310	560-008	UNDER OR OVERSLUNG CROSSMEMBER.....				N/C
311	565-001	STANDARD SUSPENSION CROSSMEMBER.....				STD
312	572-001	STANDARD REARMOST CROSSMEMBER.....				STD
313	AL5-99D	CALC'D BUMPER TO REAR TOWING C/M FACE...	383.27	IN		
314	587-998	NO REAR TOWING DEVICE.....				STD

CHASSIS EQUIPMENT

315	674-998	NO LH OR RH BACK OF CAB ACCESS.....				N/C
316	592-998	NO DECK PLATE.....				STD
317	556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS.....	30			370.00
318	558-001	FRONT TOW HOOKS - FRAME MOUNTED.....	15			74.00
319	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE				STD
320	642-998	NO BUMPER/FENDER MOUNTED SIGHT RODS.....				N/C
321	585-998	NO MUDFLAP BRACKETS.....				STD
322	590-998	NO REAR MUDFLAPS.....				STD
323	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT M UDFLAPS.....				STD

324	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS.....				STD
325	583-998	NO REAR QUARTER FENDERS.....				STD
326	600-998	NO CAB GUARD.....				N/C
327	604-998	NO TIRE CARRIER.....				N/C
328	489-998	NO TIRE PRESSURE CONTROL/SENSOR.....				N/C
329	794-998	NO JACK OR WHEEL WRENCH PROVISION.....				STD
330	795-998	NO TOOLS.....				STD
331	605-998	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE...				STD
332	601-998	NO BODY BUILDER DIAGRAMS.....				STD
333	970-998	NO BODY TYPE.....				N/C

FIFTH WHEEL & EQUIPMENT

334	578-998	NO FIFTH WHEEL.....				N/C
335	577-998	NO FIFTH WHEEL LOCATION.....				N/C
336	580-998	NO ADDITIONAL FIFTH WHEEL DRILLINGS.....				N/C
337	582-998	NO FIFTH WHEEL LEG HEIGHT.....				N/C
338	570-998	NO FIFTH WHEEL MOUNTING.....				N/C
339	890-998	NO FIFTH WHEEL PLUMBING.....				N/C
340	579-998	NO FIFTH WHEEL RELEASE/INST.....				N/C
341	591-998	NO FIFTH WHEEL ADD-ONS.....				N/C

FUEL TANK(S) & EQUIPMENT

342	206-998	NO RH FUEL TANK.....				STD
343	201-998	NO RH AUXILIARY FUEL TANK.....				STD
344	204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH.....	40	10		291.00
345	200-998	NO LH AUXILIARY FUEL TANK.....				STD
346	230-998	NO BETWEEN RAIL FUEL TANK.....				STD
347	203-998	NO HYDRAULIC OIL TANK.....				STD
348	218-005	RECTANGULAR FUEL TANK(S).....				N/C
349	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS.....				STD
350	212-007	FUEL TANK(S) FORWARD.....				STD
351	11F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK.....				STD
352	231-998	NO FUEL TANK MTG BETWEEN RAILS.....				STD
353	232-998	NO ADDITIONAL FUEL PROVIDED.....				STD
354	664-001	PLAIN STEP FINISH.....				N/C
355	207-998	NO FUEL TANK SCREENS.....				STD
356	205-001	FUEL TANK CAP(S).....				STD
357	220-998	NO FUEL HEATER.....				STD
358	122-1H1	DETROIT FUEL/WATER SEPARATOR WITH BYPASS				N/C

359	216-020	EQUIFLO INBOARD FUEL SYSTEM.....			STD
360	20E-998	NO AUXILIARY FUEL SUPPLY AND RETURN PORT S.....			STD
361	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL L INE.....			STD
362	213-998	NO FUEL LINE INSULATION.....			STD
363	221-998	NO FUEL COOLER.....			N/C
TIRES					
364	093-0TA	MICHELIN XZY-3 385/65R22.5 18 PLY RADIAL FRONT TIRES.....	130		498.00
365	094-1UY	MICHELIN X MULTI D 11R22.5 16 PLY RADIAL REAR TIRES.....	120		-80.00
366	095-998	NO PUSHER/TAG TIRES.....			STD
367	510-998	NO SPARE TIRE.....			STD
368	508-998	NO ADDITIONAL SPARE TIRE.....			N/C
HUBS					
369	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HU BS.....			STD
370	450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS.....	-60		119.00
371	449-998	NO PUSHER OR TAG HUBS.....			STD
WHEELS					
372	502-1H5	ALCOA LVL ONE 82462X 22.5X12.25 10-HUB P ILOT 4.68 INSET 10-HAND ALUMINUM DISC FR ONT WHEELS.....	-8		742.00
373	505-1EF	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI LOT ALUMINUM DISC REAR WHEELS.....	-200		1,456.00
374	509-998	NO PUSHER/TAG DISC WHEELS.....			N/C
375	511-998	NO SPARE WHEEL.....			N/C
376	51A-998	NO ADDITIONAL SPARE WHEEL.....			N/C
377	524-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH FRONT WHEELS..			STD
378	525-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH REAR WHEELS...			N/C
379	526-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE ELS.....			N/C
380	52L-998	NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH SPARE WHEEL...			STD

381	50W-998	NO RIM/WHEEL TIRE PRESSURE SENSOR.....		N/C
382	496-011	FRONT WHEEL MOUNTING NUTS.....		N/C
383	497-011	REAR WHEEL MOUNTING NUTS.....		N/C
384	498-998	NO TIRE VALVE STEM/CAP/EXTENSIONS.....		N/C
CAB EXTERIOR				
385	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI ONAL CAB.....		STD
386	682-998	NO SLEEPER BOX/SLEEPERCAB.....		STD
387	784-998	NO AIR SHIELD OR BRACKETS.....		N/C
388	783-998	NO SIDE EXTENDERS.....		STD
389	782-998	NO FRAME SIDE FAIRINGS.....		STD
390	650-008	AIR CAB MOUNTING.....		121.00
391	705-012	CAB ROOF REINFORCEMENTS FOR ROOF MOUNTED COMPONENTS.....	2	63.00
392	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR ILLE.....		36.00
393	754-008	2-1/2 INCH FENDER EXTENSIONS.....	10	275.00
394	678-001	LH AND RH GRAB HANDLES.....		STD
395	646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE.....		155.00
396	65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE...		49.00
397	644-004	FIBERGLASS HOOD.....		STD
398	690-998	NO NOISE SHIELD-ENG COMPARTMENT.....		STD
399	727-066	DUAL 26 INCH RECTANGULAR POLISHED ALUMIN UM AIR HORNS ROOF MOUNTED.....	8	185.00
400	726-002	DUAL ELECTRIC HORNS.....		10.00
401	728-002	DUAL HORN SHIELDS.....		N/C
402	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME.....		STD
403	575-001	REAR LICENSE PLATE MOUNT END OF FRAME...		STD
404	327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS.....		64.00
405	312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL.....		N/C
406	302-047	LED AERODYNAMIC MARKER LIGHTS.....		34.00
407	315-998	NO FOG LIGHTS.....		N/C
408	311-001	DAYTIME RUNNING LIGHTS.....		18.00
409	316-998	NO SPOTLIGHTS.....		STD
410	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS.....		STD
411	300-015	STANDARD FRONT TURN SIGNAL LAMPS.....		STD
412	318-998	NO UTILITY/ADVERTISING LIGHT.....		STD
413	744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIR RORS WITH LH AND RH REMOTE.....		286.00
414	797-001	DOOR MOUNTED MIRRORS.....		STD

415	796-001	102 INCH EQUIPMENT WIDTH.....		STD
416	743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS.....		N/C
417	74A-998	NO AUXILIARY MIRROR.....		STD
418	74B-998	NO AUXILIARY MIRROR.....		STD
419	713-998	NO PERMIT PLAQUE.....		STD
420	729-001	STANDARD SIDE/REAR REFLECTORS.....		STD
421	73A-998	NO REFLECTIVE DEVICES.....		STD
422	677-998	NO CAB MOUNTED STEPS.....		STD
423	275-998	NO EMERGENCY WARNING SIRENS.....		STD
424	764-010	COMPOSITE EXTERIOR SUN VISOR.....	10	280.00
425	768-043	63X14 INCH TINTED REAR WINDOW.....		STD
426	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS.....		STD
427	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S).....	4	218.00
428	767-998	NO SIDE WINDOW.....		STD
429	769-998	NO LOWER DOOR WINDOW.....		N/C
430	663-019	1-PIECE TINTED ROPED-IN WINDSHIELD.....		22.00
431	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED.....		STD
432	647-001	WHITE WINTERFRONT.....	2	31.00
CAB INTERIOR				
433	707-1AK	OPAL GRAY VINYL INTERIOR.....		N/C
434	055-002	INTERIOR CONVENIENCE PACKAGE.....		340.00
435	706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR.....		13.00
436	708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR.....		26.00
437	772-006	BLACK MATS WITH SINGLE INSULATION.....		STD
438	785-001	DASH MOUNTED ASH TRAYS AND LIGHTER.....		13.00
439	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING.....		STD
440	694-010	IN DASH STORAGE BIN.....		STD
441	696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL.....	20	26.00
442	693-998	NO INTERIOR DOOR STORAGE.....		STD
443	826-998	NO LOWER BUNK.....		N/C
444	666-998	NO BUNK RESTRAINT.....		STD
445	738-998	NO CLOCK.....		STD

*** SPECIFICATION CONFIRMATION ***

DATE: 08/26/19

CUSTOMER: STOCK COLUMBUS NE AUOD

SERIAL NUMBER.....MA1217

DB

446	742-007	(2) CUP HOLDERS LH AND RH DASH.....			STD
447	680-006	GRAY/CHARCOAL FLAT DASH.....			STD
448	860-004	SMART SWITCH EXPANSION MODULE.....			198.00
449	716-998	NO WINDSHIELD FAN.....			N/C
450	720-003	5 LB. FIRE EXTINGUISHER.....	10		60.00
451	71T-998	NO SMOKE/GAS DETECTOR.....			STD
452	714-998	NO FIRST AID KIT.....			STD
453	700-002	HEATER, DEFROSTER AND AIR CONDITIONER...			STD
454	701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD F OR FRESH AIR INTAKE.....			27.00
455	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH.....			STD
456	689-998	NO AUXILIARY HVAC UNIT.....			STD
457	170-015	STANDARD HEATER PLUMBING.....			STD
458	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRES SOR.....			N/C
459	702-002	BINARY CONTROL, R-134A.....			STD
460	739-034	PREMIUM INSULATION.....			187.00
461	285-027	SOLID-STATE CIRCUIT PROTECTION AND FUSES WITH SPARE FUSE KIT.....			33.00
462	96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAM EL PAINT IN ENGINE COMPARTMENT AND ON CH ASSIS CONNECTIONS.....			N/C
463	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM...			STD
464	324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF.....			N/C
465	655-005	LH AND RH ELECTRIC DOOR LOCKS.....			99.00
466	740-998	NO MATTRESS.....			STD
467	284-023	(1) 12 VOLT POWER SUPPLY IN DASH.....			21.00
468	710-998	NO CAB PRIVACY CURTAIN.....			STD
469	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES....	10		24.00
470	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION.....	30		212.00
471	760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRA TED CUSHION EXTENSION.....	25	10	255.00
472	762-998	NO REAR PASSENGER SEAT.....			N/C
473	757-998	NO SEAT SKIRT(S).....			STD
474	759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS.	8		138.00
475	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS..			STD
476	758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COV ER.....			2.00

477	761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER.....		4.00
478	755-998	NO REAR PASSENGER SEAT COVERS.....		STD
479	763-101	BLACK SEAT BELTS.....		N/C
480	6TS-998	NO TELEMATICS SYSTEM - WIRING.....		STD
481	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN.....	10	478.00
482	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL..		STD
483	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		STD

CONTROLS & INSTRUMENTS

484	870-001	BLACK GAUGE BEZELS.....		STD
485	732-003	WOODGRAIN DRIVER INSTRUMENT PANEL.....		N/C
486	734-003	WOODGRAIN CENTER INSTRUMENT PANEL.....		N/C
487	68J-998	NO SWITCH BLANK - INSTRUMENT PANEL.....		STD
488	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM.....		STD
489	838-001	(1) SINGLE BRAKE APPLICATION AIR GAUGE..		72.00
490	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES.....		STD
491	198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS.....		12.00
492	721-001	97 DB BACKUP ALARM.....	3	44.00
493	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL.....		STD
494	156-033	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY WITH ECM STARTER LOCKOUT...		N/C
495	157-998	NO REMOTE START.....		STD
496	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED....		STD
497	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH.....		STD
498	844-001	2 INCH ELECTRIC FUEL GAUGE.....		STD
499	845-998	NO FUEL FLOW GAUGE.....		STD
500	148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE.....		88.00
501	163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB.....		N/C
502	87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK.....		N/C
503	33U-998	NO CUSTOMER DEFINED WIRING FUNCTION.....		STD
504	866-998	NO AXLE TEMPERATURE GAUGE.....		STD

505	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE.....		STD
506	854-998	NO ENGINE OIL TEMPERATURE GAUGE.....		STD
507	864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT.....		-4.00
508	867-998	NO OUTSIDE AIR TEMPERATURE GAUGE.....		STD
509	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY.....		STD
510	438-998	NO HUBODOMETER.....		STD
511	33A-998	NO WARNING LIGHT SWITCHES.....		STD
512	372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP.....	10	116.00
513	736-998	NO OBSTACLE DETECTION SYSTEM.....		STD
514	73H-998	NO CAMERA/VIDEO/IMAGING SYSTEM.....		STD
515	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL.....		N/C
516	73B-998	NO LANE DEPARTURE WARNING SYSTEM.....		STD
517	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE.....		STD
518	679-001	OVERHEAD INSTRUMENT PANEL.....		76.00
519	35M-998	NO WRG-BDY MULTIPLEX EXPNSN UNIT.....		STD
520	786-998	NO POSITIONING/LOCATING SYSTEM.....		STD
521	78A-998	NO POSITION/COMMUNICATION ACCESSORY.....		N/C
522	746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939.....	10	490.00
523	747-001	DASH MOUNTED RADIO.....		N/C
524	74D-998	NO RADIO/SPEAKER WIRING.....		STD
525	750-002	(2) RADIO SPEAKERS IN CAB.....		N/C
526	753-998	NO AM/FM RADIO ANTENNA.....		-42.00
527	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD.....		23.00
528	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION.....		92.00
529	752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM.....		194.00
530	78C-998	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA.....		STD
531	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER.....		STD
532	817-001	STANDARD VEHICLE SPEED SENSOR.....		STD
533	812-001	ELECTRONIC 3000 RPM TACHOMETER.....		STD
534	813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE.....		N/C
535	8D1-003	3 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM.....		N/C
536	8Z1-998	NO ZONAR SERVICES SELECTED.....		N/C
537	80K-998	NO SHUTDOWN OVERRIDE.....		N/C
538	80L-002	ENABLE DPF REGEN ZONE 1.....		N/C

539	80M-998	NO ALTERNATE PTO SPEED.....	STD
540	80N-998	NO REDUCED ENGINE SPEED ON VSS FAILURE..	STD
541	80P-998	NO FLEET SPEC FOR PARAMETERIZATION.....	STD
542	80Q-998	NO VEHICLE SPEED LIMIT - GHG.....	N/C
543	162-001	IDLE LIMITER, ELECTRONIC ENGINE, PARK BR AKE ACTIVATED.....	N/C
544	885-998	NO CONTROLS-FIRE PUMP.....	STD
545	329-083	SIX ON/OFF ROCKER SWITCHES IN THE DASH W ITH INDICATOR LIGHTS; FOUR WIRE TO CHASS IS AT BACK OF CAB, TWO UNWIRED, LABEL AL L OPT.....	128.00
546	81Y-998	NO PRE TRIP SYSTEM TEST.....	N/C
547	44R-998	NO ON/OFF LATCHING SMARTPLEX SWITCH.....	STD
548	44S-998	NO ON/OFF MOMENTARY SMARTPLEX SWITCH....	STD
549	44T-998	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH..	STD
550	44U-998	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH.	STD
551	44V-998	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	STD
552	44W-998	NO UNDEFINED INDICATOR LAMPS.....	STD
553	264-998	NO CONTROLS-SIREN/AIR HORN.....	N/C
554	482-998	NO TRACTOR PROTECTION VALVE.....	STD
555	883-998	NO TRAILER HAND CONTROL BRAKE VALVE.....	STD
556	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR IVER DISPLAY.....	STD
557	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY.....	STD
558	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLI GHT SWITCH.....	STD
559	27D-998	NO ALTERNATING FLASHING HEADLAMP SYSTEM.	STD
560	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARN ING INDICATOR.....	STD
561	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH D IMMER, WASHER/WIPER AND HAZARD IN HANDLE	STD
562	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS.	STD
563	869-998	NO MISCELLANEOUS GAUGES.....	N/C
		PAINT	
564	065-000	PAINT: ONE SOLID COLOR.....	STD
565	980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC.....	N/C
566	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT.....	STD
567	98K-998	NO FUEL TANK CABINET PAINT.....	N/C
568	962-998	PAINT-FRT WHEEL COLOR: NONE.....	N/C

NOTE: WEIGHTS SHOWN ARE ESTIMATES ONLY. FOR GUARANTEED WEIGHTS PLUS OR MINUS 1 1/2%, CONTACT THE FACTORY.
CHANGES TO THE ORDER CONTENT MAY RESULT IN CHANGES TO RETAIL OPTION PRICES, RETAIL DISCOUNTS, PERCENTAGE DISCOUNTS, AND/OR OTHER FEES. ANY MAJOR COMPONENT COST INCREASES, RAW MATERIAL SURCHARGES, OR COST INCREASES RESULTING FROM GOVERNMENT MANDATES WILL BE PASSED THROUGH ON THE FACTORY INVOICES.

*** SHIPPING INFORMATION

VEHICLE SERIAL NUMBER(S) : MA1217
TOW ONLY (Y/N) : N
WILL ADVISE (Y/N) : N
CUSTOMER PICK-UP (Y/N) : N
LOCAL MOVE CD (P,M,B) :
DESTINATION NAME : SANITATION PRODUCTS INC
DESTINATION ADDRESS : 901 EAST 48TH STREET
SIOUX FALLS , SD

SPECIAL INSTRUCTION(S) :